

## Setting up your EDI Receiver

1. Create an EDI receiver in Medisoft  
(List > EDI Receiver > New)
2. Fill in the Following fields for your respective clearinghouse.

### AVAILITY

<b>Address</b>	
Name:	Availity 5010
<b>Modem</b>	
FTP Address:	files.availity.com
FTP Port Number:	9922
Transmission Mode:	Production
<b>ID</b>	
Submitter ID 1:	<your Availity sftp user name>
Submitter Password 1:	<your Availity sftp password>
Program File:	MEDEDI.EXE
Interchange Receiver ID (ISA08):	030240928
Interchange Sender ID (ISA06):	AV09311993
<b>EXTRA</b>	
Application Receiver Code (GS03):	030240928
Application Receiver Code (GS02):	AV01101957
Extra1:	AVAILITY

### REALMED

<b>Address</b>	
Name:	RealMed
<b>Modem</b>	
Transmission Mode:	Production
<b>ID</b>	
Submitter ID 1:	<your RealMed ftp user name>
Submitter Password 1:	<your RealMed ftp password>
Program File:	MEDEDI.EXE
Interchange Receiver ID (ISA08):	REALMED
Interchange Sender ID (ISA06):	<your RealMed ftp user name>
<b>EXTRA</b>	
Application Receiver Code (GS03):	REALMED

Application Receiver Code (GS02):	<your RealMed ftp user name>
Extra1:	REALMED

## TRIZETTO / GatewayEDI

<b>Address</b>	
Name:	GatewayEDI
<b>Modem</b>	
Transmission Mode:	Production
<b>ID</b>	
Submitter ID 1:	<your GatewayEDI ftp user name>
Submitter Password 1:	<your GatewayEDI ftp password>
Program File:	MEDEDI.EXE
Interchange Receiver ID (ISA08):	263923727000000
Interchange Sender ID (ISA06):	<your GatewayEDI ftp user name>
<b>EXTRA</b>	
Application Receiver Code (GS03):	263923727
Application Receiver Code (GS02):	<your GatewayEDI ftp user name>
Extra1:	GATEWAYEDI

## ZirMed

<b>Address</b>	
Name:	Zirmed
<b>Modem</b>	
Transmission Mode:	Production
<b>ID</b>	
Submitter ID 1:	<your ZirMed ftp user name>
Submitter Password 1:	<your ZirMed ftp password>
Program File:	MEDEDI.EXE
Interchange Receiver ID (ISA08):	ZIRMED
Interchange Sender ID (ISA06):	<your ZirMed ftp user name>
<b>EXTRA</b>	
Application Receiver Code (GS03):	ZIRMED
Application Receiver Code (GS02):	<your ZirMed ftp user name>
Extra1:	ZIRMED

## ClaimMD

<b>Address</b>	
Name:	ClaimMD
<b>Modem</b>	
FTP Address:	Transfer.claim.md
Port Number:	22
Transmission Mode:	Production
<b>ID</b>	
Submitter ID 1:	<your ClaimMD ftp user name>
Submitter Password 1:	<your ClaimMD ftp password>
Program File:	MEDEDI.EXE
Interchange Receiver ID (ISA08):	CLAIMMD
Interchange Sender ID (ISA06):	<your ClaimMD ftp user name>
<b>EXTRA</b>	
Application Receiver Code (GS03):	CLAIMMD
Application Receiver Code (GS02):	<your ClaimMD ftp user name>
Extra1:	CLAIMMD

\*\*\* NOTE: Response reports will not be downloaded for this receiver. \*\*\*

## Texas Medicaid Healthcare Partnership

<b>Address</b>	
Name:	TMHP
<b>Modem</b>	
Transmission Mode:	Production
<b>ID</b>	
Submitter ID 1:	<your TMHP ftp user name>
Submitter Password 1:	<your TMHP ftp password>
Program File:	MEDEDI.EXE
Interchange Receiver ID (ISA08):	617591011C21P
Interchange Sender ID (ISA06):	<your TMHP ftp user name>
<b>EXTRA</b>	
Application Receiver Code (GS03):	617591011C21P
Application Receiver Code (GS02):	<your TMHP ftp user name>
Extra1:	TMHP
Extra 3:	SINGLE <i>(This separates the TMHP claims from your other clearinghouse claims)</i>

\*\*\*NOTE: Insurance setup Primary Claims Payer ID: 617591011C21P\*\*\*

## P2PLINK EDI Receiver Setup

<b>Address</b>	
Name:	P2Plink Holdings
<b>Modem</b>	
Transmission Mode:	Production
<b>ID</b>	
Submitter ID 1:	<your user name>
Submitter Password 1:	<your password>
Program File:	MEDEDI.EXE
File Path:	/Users/ComfortRehab/
Interchange Receiver ID (ISA08):	8664503898
Interchange Sender ID (ISA06):	<your user name>
<b>EXTRA</b>	
Application Receiver Code (GS03):	8664503898
Application Receiver Code (GS02):	<your user name>
Extra1:	P2PLINK
Extra 2:	P2P Member ID

## Generic File Build EDI Receiver Setup

<b>Address</b>	
Name:	<name of receiver>
<b>Modem</b>	
Transmission Mode:	Production
<b>ID</b>	
Submitter ID 1:	<your user name>
Submitter Password 1:	<your password>
Program File:	MEDEDI.EXE
Interchange Receiver ID (ISA08):	<value of ISA08>
Interchange Sender ID (ISA06):	<value of ISA06>
<b>EXTRA</b>	
Application Receiver Code (GS03):	<value of GS03>
Application Receiver Code (GS02):	<value of GS02>
Extra1:	GENERIC

## **Other Receiver Options**

### **ID Tab**

- Submitter ID 2: value of Loop 1000A NM109, if left blank use value in Submitter ID1

### **Extra Tab**

- Extra 2: value of loop 1000B NM109, if blank use value of Interchange Receiver ID
- Extra 3: if claims for this receiver are Institutional claims, then enter UB04
- <or> Extra 3: if the claims on this receiver are to be sent separate from other claims, then enter SINGLE